

SHARP

Style, function and technology
for you and your family.



MICROWAVE OVEN RANGE 2011

Over 40 years in the making

Since Sharp invented the first carousel microwave oven in 1962, Sharp microwave ovens have continued to be innovative in style, function and technology.

Building on this experience, today Sharp brings you a diverse range of microwave ovens that offer sophisticated, yet easy-to-use technology:

- **Sensor technology** – takes the guesswork out of using your microwave. The humidity sensor monitors the amount of moisture rising from the food to determine cooking and reheating times.
- **Auto menus** – not only gives you popular menus at your fingertips, it also makes defrosting and cooking with your microwave effortless.
- **Convection/Grill** – mix cooking for your convenience reduces cooking time whilst achieving traditional results.

The Sharp range of microwave ovens blend into your kitchen décor, combining style with space-saving design and practical features.

Choose the one that's best for you.



it's as **easy** as **1 2 3**

Practical features that make cooking easy

Menus developed to suit Australian tastes

At Sharp, we are firmly committed to meeting Australia's cooking preferences. All menus, food groups and recipes for Sharp microwave ovens are developed in Australia.

Express Menus

(R350RW/RS, R380LW & R480LW/LK)

Sharp's Express Menus offer convenience and a variety of meal options at your fingertips. Using the Express Menu function you can easily create delicious pasta, risotto and casserole dishes.

Express Cook

Cook succulent roasts using frozen or chilled meat with Sharp's Express Cook, pre-programmed for your added convenience.

Express Defrost

This pre-programmed menu takes only minutes to defrost 500g fish, chicken or mince.

Express Meal

Each of the Australian - developed recipes takes less than 30 minutes. You simply place all ingredients in one dish at the same time. All you have to do is the initial preparation and stir the meal half-way through cooking.

Easy Defrost

Simply enter the weight of the frozen meat, and the oven will defrost it by calculating the defrost time and power level automatically.

Auto Cook

Pre-programmed Menus

Auto Cook allows simple, speedy cooking of a variety of delicious foods. Select the food category,

enter the weight and the oven will set the cooking time and power level automatically.

Sensor Pre-programmed Menus

Eliminate all the guess work. Humidity sensors monitor the amount of moisture rising from the food to determine cooking and reheating times. In just one touch it automatically selects the appropriate power level and calculates the cooking time, saving you time and producing excellent results.

Instant Cook

Press the Instant Cook/Start key and the oven will cook on High for one minute. Press the button twice and the oven will cook for two minutes.

More or Less

This function allows you to tailor pre-programmed menus to your taste. Select 'Less' for a rare result or 'More' for a well-done result. Alternatively use it to add or reduce cooking time as well.

Info Display

Press the Help key for cooking tips and instructions. Info Display makes your microwave so easy to use you can throw away your cookbooks.

Auto Start

(R380LW, R890NS/NW, R990KS/KW)

Allows you to set your oven to start automatically at a programmed time.

R201TW

Compact Microwave Oven



- 800W output power
- 272mm turntable
- 3 Instant Action Cook menus
- 4 Easy Defrost
- 3 Express Defrost
- 2 Instant Action Reheat menus
- More/Less (power level key)
- Instant Cook/Start key
- Timer
- Clock
- Alarm
- Child lock
- Demo mode

R230LS

Compact Microwave Oven



- 800W output power
- 272mm turntable
- 3 Instant Action Cook menus
- 4 Easy Defrost
- 3 Express Defrost
- 2 Instant Action Reheat menus
- More/Less (power level key)
- Instant Cook/Start key
- Timer
- Clock
- Alarm
- Child lock
- Demo mode

R290NS

Compact Microwave Oven - Stainless Steel Fascia



- 800W output power
- 272mm turntable
- 4 Instant Action Cook menus
- 4 Easy Defrost
- 3 Express Defrost
- 2 Instant Action Reheat menus
- Instant Cook/Start Key
- More/Less (power level key)
- Timer
- Clock
- Alarm
- Child lock
- Demo mode



Eggplant Stack – visit www.sharp.net.au for recipe

COMPACT

R330JS Midsize Microwave Oven



- 1,100W output power
- 320mm turntable
- 4 Instant Action Cook menus
- 4 Easy Defrost
- 3 Express Defrost
- 4 Instant Action Reheat menus
- Backlit 4 digit LCD display
- Instant Cook/Start key
- More/Less (power level key)
- Timer
- Clock
- Alarm
- Child lock
- Demo mode
- Also available in white (R330JW)

R330NR Midsize Microwave Oven



- 1,100W output power
- 320mm turntable
- 4 Instant Action Cook menus
- 4 Easy Defrost
- 3 Express Defrost
- 4 Instant Action Reheat menus
- Backlit 4 digit LCD display
- Instant Cook/Start key
- More/Less (power level key)
- Timer
- Clock
- Alarm
- Child lock
- Demo mode

R350RW

Midsize Sensor Microwave Oven



- 1,100W output power
- 320mm turntable
- Healthy meals: 5 low fat and 5 vegetarian options
- 16 Sensor Cook menus
- 6 Sensor Reheat menus
- 6 Easy Defrost
- 3 Express Defrost
- 6 Express Cook menus
- 3 Express Meal menus
- 6 Quick & Easy menus
- More/Less
- Instant Cook/Start key
- Timer
- Clock
- Alarm
- Child lock
- Demo mode
- Also available in silver (R350RS)

R380LW

Midsize Sensor Microwave Oven



- 1,200W output power
- 320mm turntable
- 2 line Info Display
- Healthy meals: 5 low fat and 5 vegetarian options
- 16 Sensor Cook menus
- 6 Sensor Reheat menus
- 6 Easy Defrost
- 3 Express Defrost
- 6 Express Cook menus
- 3 Express Meal menus
- 6 Quick & Easy menus
- More/Less
- Instant Cook/Start key
- Timer
- Clock
- Alarm
- Child lock
- Demo mode

R395NS

Midsize Microwave Oven - Stainless Steel Fascia



- 1,100W output power
- 320mm turntable
- 4 Instant Action Cook menus
- 4 Instant Action Reheat menus
- 4 Easy Defrost
- 3 Express Defrost
- More/Less (power level key)
- Instant Cook/Start key
- Timer
- Clock
- Alarm
- Child lock
- Demo mode

R395NBK

Midsize Microwave Oven - Black Stainless Steel Fascia



- 1,100W output power
- 320mm turntable
- 4 Instant Action Cook menus
- 4 Instant Action Reheat menus
- 4 Easy Defrost
- 3 Express Defrost
- More/Less (power level key)
- Instant Cook/Start key
- Timer
- Clock
- Alarm
- Child lock
- Demo mode

R480LW Large Sensor Microwave Oven



- 1,100W output power
- 360mm turntable
- Healthy Meals: 5 low fat and 5 vegetarian options
- 16 Sensor Cook menus
- 6 Sensor Reheat menus
- 6 Easy Defrost
- 3 Express Defrost
- 6 Express Cook menus
- 3 Express Meal menus
- 6 Quick & Easy menus
- More/Less
- Instant Cook/Start key
- Timer
- Clock
- Alarm
- Child lock
- Demo mode
- Also available in black (R480LK)

LARGE



Spinach and Ricotta Lasagne – visit www.sharp.net.au for recipe

Sharp Gourmet Microwave Cooking

Devilled prawns Serves 4

24 green king prawns, peeled, tails intact, deveined

2 shallots, sliced

1 tablespoon olive oil

1 clove garlic, crushed

Juice of 1/2 lemon

3 tablespoons tomato sauce

1-2 teaspoons chilli flakes

- In a large microwave safe glass bowl, combine the prawns, olive oil, half the shallots, garlic and tomato sauce. Cook for 4 minutes on MEDIUM HIGH (70%), stirring after 2 minutes.
- Add remaining shallots, chilli flakes and lemon juice and cook for a further 2 minutes on MEDIUM HIGH (70%).
- Season to taste, serve with rice.



Visit www.sharp.net.au for more Sharp recipes

Strawberry Cheesecake Serves 8

Base

15g butter or margarine, melted
25g digestive biscuits, crushed

Filling

500g ricotta cheese, drained of
all excess liquid
250g cream cheese, chopped

1/2 cup caster sugar
1 teaspoon vanilla essence
1 teaspoon grated lemon zest
1 punnet strawberries, halved
2 tablespoons golden syrup
10g gelatine

- Grease the base and side of a 20cm springform cheesecake tin with the melted butter. Add the biscuit crumbs and tilt and turn the tin to coat the base and sides with crumbs.
- In a food processor, add the ricotta cheese and process for 5 minutes or until smooth and creamy. Add the cream cheese, sugar, vanilla, gelatine and lemon zest and process for 2 minutes or until smooth.
- Pour the mixture into a 20cm microwave safe glass pie dish. Cook on MEDIUM (70%) for 12-14 minutes. Stir mixture to ensure even texture. Transfer into the springform tin.
- Refrigerate for at least 30 minutes until set.
- Heat the golden syrup for 10-20 seconds on HIGH (100%). Brush on the chilled cheesecake.
- Serve topped with strawberries.



Cooking with a Convection Microwave

Sharp convection microwave ovens combine the speed and simplicity of microwave cooking with the browning and crisping of fan-forced heat to produce conventional results in a fraction of the time. Convection microwave ovens offer four types of cooking:

R890NW

Compact Double Grill Convection Microwave Oven



- 1,200W top and 650W bottom grills can be used separately or simultaneously
- 900W Microwave output power
- Top and Bottom heater with convection fan
- Combination grill and microwave cooking
- 325mm turntable
- 6 Instant Action menus
- 6 Multi-cook menus
- 6 Convenience/Pizza menus
- 5 Easy Defrost
- More/Less (power level key)
- Mix Cooking key
- Grill Cook
- Convection Cook
- Preheat key
- Enamel tray
- Stainless Steel Interior
- High and Low racks
- Energy Save mode
- Help key
- Alarm
- Child lock
- Demo mode
- Also available in Stainless Steel (R890NS)

TYPE OF COOKING	BENEFIT	SUITABLE FOR
MICROWAVE	Fast and efficient	Vegetables, rice and pasta
CONVECTION	Fan-forced heat to produce crisp brown exterior	Biscuits, pastries and bread
MIX COOKING	Combination of microwave and convection cooking	Cakes, slices and roast meats
FAN-FORCED GRILLING	The oven pre-heats automatically to 250°C, circulating air to cook both sides for a grilled effect	Steak, chops and chicken pieces

R990KS Large Sensor Convection Microwave Oven



- 900W Microwave output power
- 1,500W convection power
- 390mm turntable
- 6 Sensor Instant Action menus
- 3 Sensor Reheat menus
- Low Mix Cook
- High Mix Cook
- 6 Multi-Cook menus
- Grill Cook
- Convection Cook
- Power level key
- Preheat key
- 5 Easy Defrost
- More/Less
- Instant Cook/Start key
- Clock
- Memory key
- Help key
- Alarm
- Child lock
- Demo mode
- Also available in white (R990KW)



R1900J

Commercial Microwave Oven with Dual Magnetron



- 1,900W output power
- Compact design and large capacity
- Twin Touch Control Panels
- 100 user programmable memories
- Double/Triple Quantity keys
- Repeat Cooking function
- Express Defrost function
- 11 Multiple Cooking sequences
- 15 amp plug, no additional wiring required
- Counter check
- Dual Magnetrons & stirrer fans for even cooking
- Solid, Stainless Steel, cabinet and cavity
- Demo mode
- Stacking option
- Service Door
- Program lock
- Custom settings
- Outside dimensions (WxHxD): 445 x 346 x 573mm
- Weight: Approx. 33.5kg

R2197J

Commercial Stainless Steel Microwave Oven



- 1,000W output power
- Stirrer fan for even cooking
- Stainless steel cabinet, durable and easy to maintain
- Express defrost
- Double quantity facility
- Multiple cooking sequences
- 11 power levels
- 20 user programmable memory
- 10 amp plug, no additional wiring required
- Demo mode
- Outside dimensions (WxHxD): 520x309x424mm
- Weight: Approx. 17kg

R2398JA

Commercial Microwave Oven with Dual Magnetron



- 1,500W output power
- Twin stirrer fans for even cooking
- Stainless steel cabinet and cavity
- 20 memory settings
- Double quantity facility
- Express defrost
- 11 variable cooking controls
- 10 amp plug, no additional wiring required
- Stacking option
- Outside dimensions (WxHxD): 510 x 335 x 470mm
- Weight: Approx. 35kg

How do I know the real size of my Sharp microwave oven?


Measuring interior cavity capacity

An easy way to understand how big a microwave oven is on the inside is to know the size of the turntable tray. This is measured as the diameter of a circle which is the length of a straight line starting at the left of the tray, running through the centre and ending on the right of the tray.


Knowing the size of the turntable tray makes it easy to know if your cookware will fit comfortably on the turntable and still have enough room to turn freely, without touching the sides of the oven.

See Aerial view (cutaway) Front view diagram below

AERIAL VIEW (CUTAWAY)



FRONT VIEW



Cavity size

Different manufacturers have created ovens with different interior cavity sizes. While some ovens are lower and wider, Sharp microwave ovens are higher and more compact.

This makes it possible to put a tall bowl into the oven and still have the oven achieve maximum microwave reflection for even cooking.

Rotating turntable

Sharp Carousel microwave ovens have been designed with rotating turntables so that the food moves through the microwaves and helps to cook it more evenly.

How a microwave oven works

The best cooking results are achieved when food is heated evenly so that no one part of the meal is warmer or cooler than any other.

When you press the 'Start' button on your microwave oven, the magnetron is turned on.

In Sharp microwave ovens, the magnetron is located at either the back or the side of the oven.

The magnetron produces microwave energy that moves down the waveguide and enters the interior cavity of the oven.

See the typical construction of a microwave oven illustration opposite.

The microwaves reflect and bounce off the interior cavity walls. This process causes the water molecules within the food or beverage to vibrate. As the water molecules vibrate, they become hot, cooking the food. This is why a dish is sometimes cool to touch when you remove it from the oven. Microwave-safe dishes become warm from the heat of the food, not from the microwaves.

Expert engineering

Sharp microwave ovens are strategically designed and engineered to maximise microwave reflection so that the microwaves are evenly distributed across the turntable area to assist in even cooking.

If you look inside your Sharp microwave oven, you will see it is not just square, but has curved shapes and indentations on the interior surface. These shapes help to distribute the microwaves efficiently. When you press the 'Stop' button or open the oven door, the magnetron is turned off.


Just like turning off a light switch, the magnetron stops producing microwaves and the microwave energy in the oven cavity disappears.

Output power

Generally speaking, the greater the output power, the faster food will cook. For example, a 1,200 watt IEC-rated oven will cook food twice as fast as a 600 watt IEC-rated oven. This is not to say that you should always operate your oven at maximum power as some foods, such as dairy products, are best heated on low power settings.

As you can see, the size of the cavity is not what counts if you want even, efficient microwave cooking. Rather, it is the combination of the inside shape of the oven, the movement of microwave energy and food through the oven, and the output power that will help you get the best results from your Sharp microwave oven.

THE CONSTRUCTION OF A MICROWAVE OVEN



MODEL NO.	COMPACT		
	R201T(W)	R230L(S)	R290N(S)
COLOR	white	silver	stainless
OUTPUT POWER (MICROWAVE:IEC)	800W	800W	800W
(GRILL)	-	-	-
(CONVECTION)	-	-	-
POWER CONSUMPTION (MICROWAVE)	1.22kW	1.22kW	1.22kW
(GRILL)	-	-	-
(CONVECTION)	-	-	-
CONVECTION	-	-	-
MIX (CONVECTION/MICROWAVE)	-	-	-
GRILL (CONVECTION 250°C)	-	-	-
PREHEAT	-	-	-
POWER LEVEL (MICROWAVE)	5	5	5
CONTROL PANEL	T/C	T/C	T/C
INFO DISPLAY	-	-	-
SENSOR	-	-	-
AUTOMATIC OPERATION	12 MENUS	12 MENUS	13 MENUS
INSTANT ACTION	Yes (5)	Yes (5)	Yes (6)
REHEAT	Yes (2)	Yes (2)	Yes (2)
COOKING	Yes (3)	Yes (3)	Yes (4)
SENSOR	-	-	-
HEALTHY MENU	-	-	-
LOW FAT	-	-	-
VEGETARIAN	-	-	-
SENSOR COOK	-	-	-
REHEAT	-	-	-
VEGETABLES	-	-	-
RICE/PASTA	-	-	-
DESSERTS	-	-	-
QUICK AND EASY	-	-	-
EASY DEFROST	Yes (4)	Yes (4)	Yes (4)
MULTI COOK	-	-	-
CONVENIENCE/PIZZA	-	-	-
EXPRESS COOK	-	-	-
EXPRESS MEAL	-	-	-
EXPRESS DEFROST	Yes (3)	Yes (3)	Yes (3)
MORE/LESS	Yes (POWER LEVEL key)	Yes (POWER LEVEL key)	Yes (POWER LEVEL key)
INSTANT COOK/START KEY	Yes	Yes	Yes
TIMER	Yes	Yes	Yes
CLOCK	Yes	Yes	Yes
MEMORY KEY	-	-	-
ALARM	Yes	Yes	Yes
HELP KEY	-	-	-
AUTO START	-	-	-
CHILD LOCK	Yes	Yes	Yes
DEMO MODE	Yes	Yes	Yes
INFO ON PADS	-	-	-
GUIDE ON/OFF	-	-	-
INFORMATION GUIDE ON/OFF	-	-	-
COOKING STAGE	3	3	3
PICTORIAL KEY	-	-	-
DISPLAY	LCD (4)	LCD (4)	LCD (4)
OVEN INTERIOR	PAINTED	PAINTED	PAINTED
TURNTABLE DIAMETER	272mm	272mm	272mm
OUTSIDE DIMENSION (W)	460mm	460mm	460mm
(H)	275mm	275mm	275mm
(D)	368mm	368mm	368mm
WEIGHT (Approx.)	12kg	12kg	12kg
DOOR OPEN	PUSH OPEN	PUSH OPEN	PUSH OPEN

Design and specifications are subject to change without notice. Colour variations to products may occur due to printing.

MID-SIZE				
R330J(W)/(S)	R330NR	R350R(W)/(S)	R380L(W)	R395N(S)/(BK)
white/silver	red	white/silver	white	stainless/black stainless
1100W	1100W	1100W	1200W	1100W
-	-	-	-	-
-	-	-	-	-
1.60kW	1.60kW	1.60kW	1.67kW	1.60kW
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
5	5	5	5	5
T/C	T/C	T/C	T/C	T/C
-	-	-	YES	-
-	-	Yes (AH)	Yes (AH)	-
15 MENUS	15 MENUS	56 MENUS	56 MENUS	15 MENUS
Yes (8)	Yes (8)	-	-	Yes (8)
Yes (4)	Yes (4)	-	-	Yes (4)
Yes (4)	Yes (4)	-	-	Yes (4)
-	-	-	-	-
-	-	Yes (10)	Yes (10)	-
-	-	Yes (5)	Yes (5)	-
-	-	Yes (5)	Yes (5)	-
-	-	Yes (22)	Yes (22)	-
-	-	Yes (6)	Yes (6)	-
-	-	Yes (5)	Yes (5)	-
-	-	Yes (6)	Yes (6)	-
-	-	Yes (5)	Yes (5)	-
-	-	Yes (6)	Yes (6)	-
Yes (4)	Yes (4)	Yes (6)	Yes (6)	Yes (4)
-	-	-	-	-
-	-	-	-	-
-	-	Yes (6)	Yes (6)	-
-	-	Yes (3)	Yes (3)	-
Yes (3)	Yes (3)	Yes (3)	Yes (3)	Yes (3)
Yes (POWER LEVEL key)	Yes (POWER LEVEL key)	Yes	Yes	Yes (POWER LEVEL key)
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
-	-	-	-	-
Yes	Yes	Yes	Yes	Yes
-	-	-	Yes	-
-	-	-	Yes (in HELP)	-
Yes	Yes	Yes	Yes (in HELP)	Yes
Yes	Yes	Yes	Yes (in HELP)	Yes
-	-	-	Yes (in HELP)	-
-	-	-	-	-
-	-	-	Yes (in HELP)	-
3	3	3	3	3
Yes	Yes	-	-	-
LCD (4)	LCD (4)	NEW 1-line LCD (7)	2-line LCD (8+8) Dot	LCD (5)
PAINTED	PAINTED	PAINTED	PAINTED	PAINTED
320mm	320mm	320mm	320mm	320mm
520mm	520mm	520mm	520mm	520mm
310mm	310mm	310mm	310mm	310mm
448mm	442mm	448mm	440mm	442mm
16kg	17kg	17kg	17kg	17kg
PUSH OPEN	PUSH OPEN	PUSH OPEN	PUSH OPEN	PUSH OPEN

AH = Absolute Humidity. T/C = Touch Control. *When measured in accordance with AS/NZ 2895.1:1995.

LARGE	CONVECTION	
R480L(W)/(K)	R890N(W)/(S)	R990K(S)/(W)
white/black	white/silver	stainless/white
1100W	900W	900W
-	1100-1200W (Top) 600-650W (Bottom) 1700-1850W (Top & Bottom)	-
-	1700-1850W	1500W
1.60kW	1.50kW	1.6kW
-	1.76-1.91kW	-
-	1.76-1.91kW	1.6kW
-	Yes	Yes
-	Yes (HIGH/LOW)	Yes (HIGH/LOW)
-	Yes	Yes
-	Yes	Yes
5	5	5
T/C	T/C	T/C
-	-	Yes
Yes (AH)	-	Yes (AH)
56 MENUS	23 MENUS	20 MENUS
-	Yes (6)	Yes (6)
-	Yes (1)	-
-	Yes (5)	-
-	-	Yes (6)
Yes (10)	-	-
Yes (5)	-	-
Yes (5)	-	-
Yes (22)	-	Yes (3)
Yes (6)	-	Yes (3)
Yes (5)	-	-
Yes (6)	-	-
Yes (5)	-	-
Yes (6)	-	-
Yes (6)	Yes (5)	Yes (5)
-	Yes (6)	Yes (6)
-	Yes (6)	-
Yes (6)	-	-
Yes (3)	-	-
Yes (3)	-	-
Yes	Yes	Yes
Yes	Yes	Yes
Yes	-	-
Yes	Yes	Yes
-	-	Yes (1)
Yes	Yes	Yes
-	Yes	Yes
-	Yes (in HELP)	Yes (in HELP)
Yes	Yes (in HELP)	Yes (in HELP)
Yes	Yes (in HELP)	Yes (in HELP)
-	Yes (in HELP)	Yes (in HELP)
-	-	Yes (in HELP)
-	Yes (in HELP)	Yes (in HELP)
3	4	4
-	-	-
NEW 1-line LCD (7)	1-line LCD (7)	DIGITRON (7)
PAINTED	STAINLESS	STAINLESS
360mm	325mm	390mm
550mm	520mm	627mm
315mm	309mm	378mm
446mm	486mm	487mm
18kg	19kg	29kg
PUSH OPEN	PUSH OPEN	PUSH OPEN

Trim kits are also available

For kitchens with limited space or if you want more counter space, Sharp offers built-in kits to securely position your Sharp microwave oven into an open area of cabinet space.

Please note that for safety reasons, Sharp recommends the use of Sharp built-in kits only.

MODEL		RK-J32W	RK-J32S	RK-J39S
COLOUR		White	Silver	Stainless Steel
APPLICABLE SHARP MICROWAVE OVEN		R350RW R380LW	R350RS	R395NS
CABINET DIMENSIONS REQUIRED	W (mm)	560-564		600
	H (mm)	403-409		381
	D (mm)	489		500
APPLICABLE OVEN WEIGHT (approx.)		17 kg		
BUILT-IN KIT FRAME SIZE (external)	W (mm)	596		
	H (mm)	423.4	423.4	380
MODEL		RK-J40W	RK-J40K	
COLOUR		White	Black	
APPLICABLE SHARP MICROWAVE OVEN		R480LW	R480LK	
CABINET DIMENSIONS REQUIRED	W (mm)	560-564		
	H (mm)	419		
	D (mm)	455 (min.)		
APPLICABLE OVEN WEIGHT (approx.)		19 kg		
BUILT-IN KIT FRAME SIZE (external)	W (mm)	596		
	H (mm)	446		
MODEL		EB-R500W	EB-R47ST	
COLOUR		White	Stainless Steel	
APPLICABLE SHARP MICROWAVE OVEN		R890NW	R890NS	
CABINET DIMENSIONS REQUIRED	W (mm)	560 - 568		
	H (mm)	409		
	D (mm)	550 - 580		
APPLICABLE OVEN WEIGHT (approx.)		19 kg		
BUILT-IN KIT FRAME SIZE (external)	W (mm)	595		
	H (mm)	424		
MODEL		RK-J90W	RK-J90S	
COLOUR		White	Stainless Steel	
APPLICABLE SHARP MICROWAVE OVEN		R990KW	R990KS	
CABINET DIMENSIONS REQUIRED	W (mm)	714.5 - 720.5		
	H (mm)	479.5 - 482		
	D (mm)	511		
APPLICABLE OVEN WEIGHT (approx.)		29 kg		
BUILT-IN KIT FRAME SIZE (external)	W (mm)	758		
	H (mm)	511		

Note: These dimensions are intended as a guide only; they do not include details such as chimney dimensions. For full details on cabinet dimensions please refer to built-in kit installation instructions available on www.sharp.net.au

SHARP

Sharp Corporation of Australia Pty Ltd
ABN 40 003 039 405

1 Huntingwood Drive, Huntingwood NSW 2148

For enquiries phone 1300 13 55 30

Tel: (02) 9830 4600 Fax: (02) 9672 1208

www.sharp.net.au